

CNB⁷⁸



CNB⁷⁸



CNB⁷⁸



CNB⁷⁸



CNB⁷⁸



CNB⁷⁸










PLAN



MAIN CHARACTERISTICS

DIMENSIONS

Length overall	24,85 m	with bowsprit
Hull length	23,25 m	
L.W.L	22,20 m	
Maximum beam	6,15 m	

DRAFTS

Standard keel (cast iron fin & lead bulb)	14.000 kg	3,50 m
Optional lead keel (steel fin & lead bulb)	13.000 kg	3,00 m
Optional lead keel (steel fin & lead bulb)	12.100 kg	3,50 m

TANKAGE

Fresh water	1.500 L
Fuel	2.500 L
Grey Water	400 L
Black Water	400 L

SAIL PLAN

	STANDARD	PERFORMANCE
I	30,00m	31,50m
J	9,06m	9,06m
P	29,00m	31,00m
E	9,60m	9,60
Mainsail	160m ²	175m ²
Furling genoa	144m ²	152m ²
Staysail	79m ²	82m ²
Asymetrical spinnaker	470m ²	530m ²
Air draft (without antenas)	32m ²	34m ²

CONTACT

Vincent Arnaud

v.arnaud@cnbyachts.com

+33 6 22 44 80 24

www.cnbyachts.com

CNB
GROUPE SOLARIS